## Technology Offer

# Device for non-destructive and rapid permeability measurement

Field of use Pharmaceutical, Chemical, Textile industry

Current state of technology Prototype developed and tested

Intellectual property patent application num ber: PCT/EP2020/076186


Developed by University of Ljubljana, Faculty of Mechanichal Engineering

Reference: 821-21/2020

#### Contact

Knowledge Transfer Office, University of Ljubljana

Phone: +386 1 2418 533 E-mail: gospodarstvo@uni-lj.si





#### Background

The permeability is a porous material property that describes how easily can fluids penetrate through the sample material. Many products require determination of their permeability. It is the main property of filter and membrane materials, and a very influential property for textiles, freeze-dried products, etc. A precise and rapid measurement of the permeability is therefore crucial in many applications in the fields of freeze-dried products (pharmaceutical and food industry), textile industry, filter and membrane material manufacturers, additive manufacturing (3D printing), artificial bone implants, composite producers... The currently available methods for measuring permeability have issues, if fragile and arbitrarily shaped samples need to be analysed.

### Description of the Invention

This innovation provides in-situ determination of the permeability. Materials are not extracted for measurement, which is very important for fragile materials. The method is non-destructive and non-invasive. The samples can be used afterwards without limitations. The designed and fabricated prototype can determine the permeability of an arbitrary material at various fluids, temperatures, pressures and flow rates, therefore the measured permeability can be acquired at any desired outside conditions.

### Main Advantages

- quick measurement (< 1 sec.)
- real-time measurement
- suitable for inline measurements
- non-invasive, non-destructive method
- appropriate also for fragile materials
- liquid or gas working fluid
- usable for: filters, membranes, freeze-dried products, textiles, composites, artificial bone scaffolds...

